

MATERIAL SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

50 603 - AERO TEX

Article No.		Issue date:	17.12.15
Version	4 (16.12.15)	Page	1 / 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name 50 603 - AERO TEX

1.2 Relevant identified uses of the substance or mixture and uses advised against

General use

Products for creation of art.

Uses advised against

1.3 Details of the supplier of the safety data sheet

H. Schmincke & Co. GmbH & Co. KG
Otto-Hahn-Str. 2
D - 40699 Erkrath
Tel. +49 (0) 211-2509-0
Fax. +49 (0) 211-2509-497
info@schmincke.de
www.schmincke.de

Dept. responsible for information

Schmincke-Labor:
Mo-Do 8.00-16.30, Fr 8.00-13.30
Tel. +49 (0) 211-2509-474
labor@schmincke.de

1.4 Emergency telephone number

Emergency
Information
Phone #

Emergencycall Berlin
(24h - counseling in german and english)
+49 (0) 30-30686790

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to EC regulation 1272/2008 (CLP)

Eye Irrit. 2; H319 Causes serious eye irritation.
STOT SE 3; H335 May cause respiratory irritation.
Skin Irrit. 2; H315 Causes skin irritation.

2.2 Label elements

Labelling (CLP)



Signal word

Warning

Hazard statements

H315 Causes skin irritation.
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.

Safety precautions

P102 Keep out of reach of children.

MATERIAL SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

50 603 - AERO TEX

Article No.		Issue date:	17.12.15
Version	4 (16.12.15)	Page	2 / 9

P312 Call a POISON CENTER/doctor if you feel unwell.
P337+P313 If eye irritation persists: Get medical advice/attention.

2.3 Other hazards

Contains 1,2-Benzisothiazol-3(2H)-one, 2-Methyl-2H-isothiazol-3-one. May produce an allergic reaction. (EUH208)

SECTION 3: Composition / information on ingredients

3.1 Substances

Chemical characterization

Water
polyurethane dispersion
CAS-Number
EINECS / ELINCS / NLP
EU index number
Customs tariff number
REACH registration No.
RTECS-no.
Hazchem-Code
CI-Number

3.2 Mixtures

Substance 1

N,N-diethylethanamine: 1,0 - 1,5 %
CAS-Number: 121-44-8
REACH registration No.: 01-2119475467-26-XXXX
Classification according to EC regulation 1272/2008 (CLP):
Acute Tox. 3; H311 / Acute Tox. 3; H331 / Acute Tox. 4;
H302 / Eye Dam. 1; H318 / Flam. Liq. 2; H225 / STOT SE
3; H335 / Skin Corr. 1A; H314

Additional information

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

If you feel unwell, seek medical advice (show the label where possible).

In case of inhalation

Provide fresh air. Seek medical attention if problems persist.

In case of skin contact

Remove residues with soap and water. In case of skin irritation, consult a physician.

After eye contact

If product gets into the eye, keep eyelid open and rinse immediately with large quantities of water, for at least 10 - 15 minutes. Seek medical attention if irritation persists.

After swallowing

Rinse mouth with water. Seek medical treatment in case of troubles.

4.2 Most important symptoms and effects, both acute and delayed

No data available

4.3 Indication of any immediate medical attention and special treatment needed

MATERIAL SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

50 603 - AERO TEX

Article No. Issue date: 17.12.15
Version 4 (16.12.15) Page 3 / 9

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Extinguishing media which must not be used for safety reasons

strong water jet

5.2 Special hazards arising from the substance or mixture

In case of fire may be liberated: Carbon monoxide and carbon dioxide

5.3 Advice for firefighters

Special protective equipment for firefighters

Use appropriate respiratory protection.

Additional information

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes, and clothing.

6.2 environmental precautions

Discharge into the environment must be avoided.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up

Collect spilled material using paper towels and dispose.

Additional information

6.4 Reference to other sections

Dispose of waste according to applicable legislation.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advices on safe handling

Handle in accordance with good industrial hygiene and safety practice.

Precautions against fire and explosion

No special measures are required.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storerooms and containers

Store in a well-ventilated place. Keep container tightly closed. Keep away from sources of ignition and heat.

Hints on joint storage

Storage class

Further details

Protect from frost and exposure to sun.

7.3 Specific end use(s)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

121-44-8

N,N-diethylethanamine

DEU	WEL	1,000	mL/m ³	-
DEU	WEL	4,200	mg/m ³	2(I); DFG, EU

8.2 Exposure controls

MATERIAL SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

50 603 - AERO TEX

Article No.		Issue date:	17.12.15
Version	4 (16.12.15)	Page	4 / 9

Occupational exposure controls

Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required. Respiratory protection must be worn whenever the WEL levels have been exceeded.

Hand protection

Protective gloves

Qualified materials: Fluororubber (Viton)

Observe glove manufacturer's instructions concerning penetrability and breakthrough time.

Eye protection

Goggles

Body protection

Wear suitable protective clothing.

General protection and hygiene measures

Handle in accordance with good industrial hygiene and safety practice. Wash hands thoroughly after handling.

SECTION 9: Physical and chemical properties

9.1 information on basic physical and chemical properties

Physical state	liquid		
Colour	whitish		
Odour	almost odourless		
		min	max
Initial boiling point and boiling range		~	100 °C
Melting point/freezing point			
Flash point/flash point range			
Flammability			
Ignition temperature			
Auto-ignition temperature			
Explosion limits			
Refraction index			
Partition coefficient: n-octanol/water			
Explosive properties			
Vapour pressure			
Density	1,05 g/ml		20 °C
PH value	8,5	9,5	
Viscosity dynamic of			
Viscosity dynamic up to			
Viscosity kinematic of			
Viscosity kinematic up to			

9.2 Other information

SECTION 10: Stability and reactivity

10.1 Reactivity

Product is stable under normal storage conditions.

10.2 Chemical stability

10.3 Possibility of hazardous reactions

10.4 Conditions to avoid

Protect from frost and exposure to sun.

MATERIAL SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

50 603 - AERO TEX

Article No.		Issue date:	17.12.15
Version	4 (16.12.15)	Page	5 / 9

10.5 Incompatible materials

10.6 Hazardous decomposition products

Hazardous vapours may form during fires.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

No data available

In case of inhalation

No data available

After swallowing

No data available

In case of skin contact

No data available

After eye contact

No data available

Practical experience

General remarks

Toxicological tests

121-44-8

N,N-diethylethanamine

oral	LD50	Rat		460,000	mg/kg	-
dermal	LD50	Rabbit		415,000	mg/kg	-

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity

No data available

Water Hazard Class

nwg

WGK catalog number

General information

12.2 Persistence and degradability

Further details

Product is partially biodegradable.

Oxygen demand

12.3 Bioaccumulative potential

Bioconcentration factor (BCF)

Partition coefficient: n-octanol/water

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

No data available

12.6 Other adverse effects

MATERIAL SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

50 603 - AERO TEX

Article No.		Issue date:	17.12.15
Version	4 (16.12.15)	Page	6 / 9

General information

Ecotoxicological effects

121-44-8 N,N-diethylethanamine

not required	LC50	fish		36,000	mg/L	(96h)
not required	LC50	Daphnia magna (Big water		17,000	mg/L	(48h)

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste key number

080 112 080112 waste paint and varnish other than those mentioned in 080111

Recommendation

Contaminated packaging

Waste key number

Recommendation

Additional information

SECTION 14: Transport information

14.1 UN number

14.2 UN proper shipping name

ADR, ADN No dangerous good in sense of these transport regulations.

IMDG, IATA

14.3 Transport hazard class(es)

ADR, ADN

IMDG

IATA

14.4 Packing group

14.5 Environmental hazards

Marine Pollutant - IMDG

Marine Pollutant - ADN

14.6 Special precautions for user

Land transport

Code: ADR/RID

Kemmler-number

Hazard label ADR

Limited quantities

Contaminated packaging: Instructions

Contaminated packaging: Special provisions

Special provisions for packing together

Portable tanks: Instructions

Portable tanks: Special provisions

Tank coding

Tunnel restriction

MATERIAL SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

50 603 - AERO TEX

Article No.		Issue date:	17.12.15
Version	4 (16.12.15)	Page	7 / 9

Remarks
EQ
Special provisions

Inland waterway craft

Hazard label
Limited quantities
Transport permitted
Equipment necessary
Ventilation
Remarks
EQ
Special provisions

Sea transport

EmS
Special provisions
Limited quantities
Contaminated packaging: Instructions
Contaminated packaging: Special provisions
IBC: Instructions
IBC: Provisions
Tank instructions IMO
Tank instructions UN
Tank instructions Special provisions
Stowage and segregation
Properties and observations
Remarks
EQ

Air transport

Hazard
Passenger
Passenger LQ
Cargo
ERG
Remarks
EQ
Special Provisioning

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No data available

SECTION 15: Regulatory information

Bezeichner in aktueller Sprache fehlt!

National regulations

Europe

Contents of VOC [%]
Contents of VOC
[g/L]
Further regulations, limitations and legal requirements

Germany

Storage class
Water Hazard Class nwg

MATERIAL SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

50 603 - AERO TEX

Article No.		Issue date:	17.12.15
Version	4 (16.12.15)	Page	8 / 9

WGK catalog number
Incident regulation
Information on working limitations
Further regulations, limitations and legal requirements

Denmark

Further regulations, limitations and legal requirements

Hungary

Further regulations, limitations and legal requirements

Great Britain

Further regulations, limitations and legal requirements

Switzerland

Contents of VOC [%]
< 1 %
Further regulations, limitations and legal requirements

Bezeichner in aktueller

Sprache fehlt!

Further regulations, limitations and legal requirements
Federal Regulations
State Regulations

USA

Further regulations, limitations and legal requirements
Federal Regulations
State Regulations
Signal Word

-

Principal Hazards

-

Hazardous Ingredients

-

Hazard Statement

-

Precaution Statement

-

First aid Statements

-

Children´s Statement

Keep out of reach of children. For professional use only.

Required Statements

Conforms to ASTM D-4236.

Japan

Further regulations, limitations and legal requirements

Canada

Further regulations, limitations and legal requirements

15.2 Chemical Safety Assessment

SECTION 16: Other information

Further information

Hazard statements (CLP)

H225 Highly flammable liquid and vapour.

MATERIAL SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

50 603 - AERO TEX

Article No.		Issue date:	17.12.15
Version	4 (16.12.15)	Page	9 / 9

H302 Harmful if swallowed.
H311 Toxic in contact with skin.
H314 Causes severe skin burns and eye damage.
H315 Causes skin irritation.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H331 Toxic if inhaled.
H335 May cause respiratory irritation.

Further information

This information is based on our current state of knowledge and describes the security standards applicable to our product for the purpose provided. The information provided here does not constitute a legally binding warranty of specific characteristics or of suitability for a specific application use of the product is thus to be adapted to the user's special conditions and checked by preliminary tests. We are thus unable to guarantee product characteristics or accept an liability for damage arising in connection with the use of our products.

Literature

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

Reason of change

Additional information

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.